Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10	((hash with identifier) with ((lookup or "look up") adj2 table))and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:24
L6	6	("5224160" "5530757" "5940513").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:24
S6	30785	"time varying"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:30
S7	2	"time varying" with "key hash"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:32
S8	10	"time varying" with "hash"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:32
S9	5	S8 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:38
S10	21	"key hash" with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:13
S11	7	S10 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:12
S12	4439	"clock skew"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:15
S13	3329	S12 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:12

S16	263	S13 and ("clock skew" with (comput$3 or calculat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:16
S19	4	S13 and (("clock skew" with (comput$3 or calculat$3)) and (laptop or "wireless phone" or "cellular phone"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:18
S20	1	S13 and ((("clock skew" with (comput$3 or calculat$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:22
S21	0	S13 and (((("clock skew" with (comput$3 or calculat$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet))) and (cryptography or encrypt$3 or encipher$3 or encrypt$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:24
S22	0	S13 and (((("clock skew" with (comput$3 or calculat$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet))) and (key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:24
S23	0	S13 and (((("clock skew" with (comput$3 or calculat$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet))) and (asymmetric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:25
S24	1	"time varying item" and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27
S25	0	"time-varying item" and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27
S26	2	"time-varying item"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27

S27	11	"time-varying" and 713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:48
S28	17	"time varying" and 713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:50
S29	12	"time varying" and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S30	0	("time varying" with "key hash") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S31	0	("time varying" with "hash key") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S32	0	("time varying" with "hash") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S33	0	("time varying" with (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:55
S34	0	("time varying" same (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:55
S35	2	("time varying" and (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:56
S36	2	("time varying" and (key adj1 verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:56

S37	2	("time varying" and ("key verification")) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:57
S39	4	(generat$3 with ("key hash")) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:03
S40	0	("time varying" with "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S41	0	("time-varying" with "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S42	0	("time-varying" same "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S43	2	(("time-varying" and "key verification") and 713/168.ccls.) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:22
S44	1	((((system or source) adj (time or clock)) with hash) and 713/168.ccls.) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:33
S45	18	(((system or source) adj (time or clock)) with hash) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:51
S46	0	((((system or source) adj (time or clock)) with hash) with compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:51
S47	6	S45 and (hash with (compar$5 or match))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 13:23

S49	54	(hash with (time or clock or "system time" or "system clock") with identifier) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:39
S50	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with identifier) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:40
S51	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:40
S52	18	(hash with ("system time" or "system clock" or "source time" or "source clock")) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:41
S53	4	(hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:13
S54	4	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) and compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:14
S55	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) with compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:14
S56	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) same compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:15
S57	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key)) same compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:15
S58	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key")) same compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:16

S59	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key") same compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:16
S60	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key" or ID) same compar$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:17
S61	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key" or ID) same match$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:17
S62	61	(hash with (time or clock) with ("serial number" or code or key or "public key" or ID or idetifier) same compar$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:18
S63	27	(hash with (time or clock) with ("serial number" or code or key or "public key" or ID or idetifier) with compar$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:15
S64	1	(hash with (phone) with ("serial number" or code or key or "public key" or ID or idetifier) with compar$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:16
S65	12	(hash with (phone) with ("serial number" or code or key or "public key" or ID or idetifier)) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:24
S66	7	(("cellular phone" or "mobile phone") with hash$4) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:29
S67	17	(("cellular phone" or "mobile phone") same hash$4) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:36